

UZI®

SMG - (Sub Machine Gun)

The UZI SMG was up-dated and modernized many times during the many years since its development half a century ago. The Mini & Micro UZI versions are a very popular weapon of bodyguards and many groups guarding Heads of State and High executives the worldwide.

Special units and special police units also use them.

Over 2 million weapons were produced since the beginning.



Micro UZI



Mini UZI



UZI®

SMG - (Sub Machine Gun)

The UZI SMG was up-dated and modernized many times during the many years since its development half a century ago.



The Mini & Micro UZI versions are a very popular weapon of bodyguards and many groups guarding Heads of State and High executives the worldwide. Special units and special police units also use them. Over 2 million weapons were produced since the beginning.

Specifications

Models	Micro UZI	Mini UZI
Caliber	9 mm.	
Ammunition	9 mm Parabellum	
Operation	Blowback, firing from Closed Bolt Position (CBP)	Blowback, firing from CBP or OBP
Mode of firing	Semi-auto, Auto	
Magazine capacity	20, 25, 32	
Rifling	4 grooves, 1:10"	
Weight		
W/o magazine (kg)	2.05	2.750
Empty mag. (gr) 25 Rds	165 20 Rds	200 25 Rds
Loaded mag. (gr) 25 Rds	405 20 Rds	500 25 Rds
Dimensions (mm)		
Overall length	510	588
With folded stock	282	360
Barrel length	134	197
Sights		
Front	Post	
Rear	Aperture	Aperture "L" Flip type
Sightline radius (mm)	184	235
Muzzle velocity (m/sec)	353	400
Rate of fire (Rds/min)	1200	CBP 1200 /OBP 950

20050224/M/1/007



UZI®

The UZI



Mini UZI
For special units

Specifications

Models	Micro UZI	Mini UZI
Caliber	9 mm.	
Ammunition	9 mm Parabellum	
Operation	Blowback, firing from Closed Bolt Position (CBP)	Blowback, firing from CBP or OBP
Mode of firing	Semi-auto, Auto	
Magazine capacity	20, 25, 32	
Rifling	4 grooves, 1:10"	
Weight		
W/o magazine (kg)	2.05	2.750
Empty mag. (gr) 25 Rds	165 20 Rds	200 25 Rds
Loaded mag. (gr) 25 Rds	405 20 Rds	500 25 Rds
Dimensions (mm)		
Overall length	510	588
With folded stock	282	360
Barrel length	134	197
Sights		
Front	Post	
Rear	Aperture	Aperture "L" Flip type
Sightline radius (mm)	184	235
Muzzle velocity (m/sec)	353	400
Rate of fire (Rds/min)	1200	CBP 1200 /OBP 950



Israel Weapon Industries (IWI) LTD.

64 Bialik Blvd. P.O. Box 63 Ramat Hasharon 47100
Tel.: +972-3-7606000 Fax: +972-3-7606001

www.israel-weapon.com
marketing@israel-weapon.com